



Shininess the Future



**LED VEHICLE LIGHTING**

**LED Strobe Light**

**Shanghai shininess Industrial Co., Ltd**

[www.brightkold.com](http://www.brightkold.com)

上海善宇实业有限公司  
Shanghai shininess Industrial Co., Ltd


Tel: +86-21-58545653  
Fax: +86-21-58545652  
E-mail: [info@brightkold.com](mailto:info@brightkold.com)  
Website: [www.brightkold.com](http://www.brightkold.com)





**Features:**

- Input Voltage: 10-48VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: 9 Flash patterns
- Material: Rubber & ABS Housing + PC Lens
- Installation: Vacuum-magnet mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-209	3pcs 3535LED	15W	9 Flash patterns	∅200x138mm	10-48VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 12pcs/Ctn 64x43x32mm G.W: 13KGS



**Features:**

- Input Voltage: 10-48VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: 9 Flash patterns
- Material: Rubber & ABS Housing + PC Lens
- Installation: Vacuum-magnet mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-210	3pcs 3535LED	15W	9 Flash patterns	∅200x190mm	10-48VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 12pcs/Ctn 64x43x42mm G.W: 16KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe & rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & Screw
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-207	72pcs 5730SMD	36W	Strobe & rotate	∅165x123mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 18pcs/Ctn 51x35x44mm G.W: 12KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe & rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & Screw
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-206	72pcs 5730SMD	36W	Strobe & rotate	∅165x175mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 12pcs/Ctn 51x34x38mm G.W: 10KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-208	30pcs 5730SMD 12pcs 3535SMD	15W 36W	Strobe & rotate	Ø150x57mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 24pcs/Ctn 49x33x28mm G.W: 12KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-215	20pcs 3535SMD	20W	Strobe & rotate	Ø124x105mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 24pcs/Ctn 49x33x28mm G.W: 12KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-216	20pcs 3030SMD	20W	Strobe & rotate	Ø124x105mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 24pcs/Ctn 49x33x28mm G.W: 12KGS



**Features:**

- Input Voltage: 10-110VDC or 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe
- Material: ABS Housing + PC Lens
- Installation: Screw mounting
- With 30cm wire




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-214	30pcs 5730SMD	15W	Strobe	Ø99x129mm	10-30VDC 10-110VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 30pcs/Ctn 40x30x30mm G.W: 10KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-201	40pcs 5730SMD	20W	Strobe & rotate	Ø164x120mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	72pcs 2835SMD	14.4W					18pcs/Ctn
	72pcs 5730SMD	36W					51x35x44mm
							G.W: 13KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-202	108pcs 2835SMD	22W	Strobe & rotate	Ø145x120mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	72pcs 2835SMD	14.4W					18pcs/Ctn
	72pcs 5730SMD	36W					47x32x38mm
							G.W: 13KGS



**Features:**

- One set include 2pcs lamp
- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: 2 type Strobe
- Material: ABS Housing + PC Lens
- Installation: Magnet mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-203	72pcs 2835SMD	14.4W	2 Strobe	Ø145x120mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 18pcs/Ctn 47x32x46mm G.W: 13KGS



**Features:**

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-204	30pcs 2835SMD	6W	Strobe & rotate	Ø123x108mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	40pcs 5730SMD	20W					24pcs/Ctn
	48pcs 2835SMD	9.6W					41x28x46mm
							G.W: 13KGS



### Features:

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-205	30pcs 2835SMD	6W	Strobe & rotate	Ø117x103mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	40pcs 5730SMD	20W					24pcs/Ctn
	48pcs 2835SMD	9.6W					41x28x46mm
							G.W: 13KGS



### Features:

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-211	30pcs 2835SMD	6W	Strobe & rotate	Ø130x90mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	40pcs 5730SMD	20W					24pcs/Ctn
	48pcs 2835SMD	9.6W					41x28x46mm
							G.W: 13KGS



### Features:

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-212	30pcs 2835SMD	6W	Strobe & rotate	Ø123x105mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	40pcs 5730SMD	20W					24pcs/Ctn
	48pcs 2835SMD	9.6W					41x28x46mm
							G.W: 13KGS



### Features:

- Input Voltage: 10-30VDC
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe, Rotate
- Material: ABS Housing + PC Lens
- Installation: Magnet & screw super mounting
- Cigarette plug, built-in on/off switch




Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-213	30pcs 2835SMD	6W	Strobe & rotate	Ø117x103mm	10-30VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box
	40pcs 5730SMD	20W					24pcs/Ctn
	48pcs 2835SMD	9.6W					41x28x46mm
							G.W: 13KGS



### Features:

- Solar power supply
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe
- Material: ABS Housing + PC Lens
- Installation: Magnet & Screw mounting



Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-217	8pcs 2835SMD	0.8W	Strobe	Ø124x105mm	Solar	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 24pcs/Ctn 41x28x46mm G.W: 12KGS




### Features:

- Can be used in emergency on different occasions
- Lens Color: Amber, Red, Blue, Green
- Flash Mode: Strobe
- Material: ABS Housing + PC Lens
- Installation: Magnet mounting



4xAA Battery



Model	LED Type	Watt	Flash Mode	Dimension	Voltage	Lens Color	Packing
BK-218	24pcs 2835SMD	2.4W	Strobe	Ø95x120mm	4xAA Battery 6VDC	<ul style="list-style-type: none"> <li>● Amber</li> <li>● Red</li> <li>● Blue</li> <li>● Green</li> </ul>	1pc/Box 24pcs/Ctn 44x33x27mm G.W: 11KGS

**Certificate**

Certificate NO. : SHBST180195

Applicant : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, Chn

Manufacturer : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, Chn

Product Name : LED WORK LI

Trade Name : *Brightkold*

Main Test Model : BK-327

Additional Model : BK-315, BK-324, BK-KW-123, KW-1 KW-224, KW-2 KW-244, KW-2

Test Standard : EN 55015:2011, EN 61547:2008, EN 61000-3-2, EN 61000-3-3

As shown in the Test Report No. : SHBST180195

The EUT described above has been tested in compliance with the council EMC directive marking to demonstrate the compliance. The certificate applies to the tested sample as an assessment of the whole production.

Shenzhen BST Technology Co., Ltd.  
Add: Building No.23-24, Zhiheng Industrial Park, Gu China. Certificate Search: <http://www.bst-lab.com>

**Certificate of Compliance**

Certificate NO. : SHBST180195905001

Applicant : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, China

Manufacturer : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, China

Product Name : LED WORK LIGHT

Trade Name : *Brightkold*

Main Test Model : BK-327

Additional Model : BK-315, BK-324, BK-KW-123, KW-1, KW-142, KW-143, KW-KW-228, KW-238, KW-KW-247, KW-248, KV

Test Standard : IEC 62321-4:2013, IEC 62321-6:2016, IEC 62321-7-2:2017

As shown in the Test Report No. : SHBST180195905001

The EUT described above has been tested in compliance with the council EMC directive 2011/65/EU as last a certificate is only valid in conjunction with

Dongguan BST Testing Co., Ltd  
Add: A1201-1204 Xinsanj Of Dongbao Road, Dong China. Certificate Search: <http://www.bst-lab.com>, Tel:400

**Certificate of Compliance**

Certificate NO. : SHBST1801977990

Applicant : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, China

Manufacturer : SHANGHAI SHININE! Room 606, No. 1122 N. Shanghai, China

Product Name : LED LAMP

Trade Name : *Brightkold*

Main Test Model : SNS-A60-7WQ1

Additional Model : SNS-A60-5WQ1, SNS SNS-A60-7WP1, SNS

Test Standard : EN 55015:2013+A1:21 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013

As shown in the Test Report No. : SHBST1801977990

The EUT described above has been tested by in compliance with the council EMC directive marking to demonstrate the compliance with the certificate applies to the tested sample as an assessment of the whole production.

Shenzhen BST Technology Co., Ltd.  
Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nanhai District, Shenzhen Guangdong, China. Certificate Search: <http://www.bst-lab.com>, Tel:400-882-9628

**Certificate of Compliance**

Certificate NO. : SHBST1801959050002YEC-1

Applicant : SHANGHAI SHININESS INDUSTRIAL CO., LTD. Room 606, No. 1122 New Jinqiao Road, Pudong New District, Shanghai, China

Manufacturer : SHANGHAI SHININESS INDUSTRIAL CO., LTD. Room 606, No. 1122 New Jinqiao Road, Pudong New District, Shanghai, China

Product Name : LED AUTO LIGHT

Trade Name : *Brightkold*

Main Test Model : BK-211

Additional Model : BK-201, BK-202, BK-203, BK-204, BK-205, BK-206, BK-207, BK-208, BK-209, BK-210, BK-212, BK-213, BK-214, BK-215, BK-216

Test Standard : EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013

As shown in the Test Report No. : SHBST1801959050002YEC-1

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive. The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.

Shenzhen BST Technology Co., Ltd.  
Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nanhai District, Shenzhen Guangdong, China. Certificate Search: <http://www.bst-lab.com>, Tel:400-882-9628, 800990305, E-mail: [christina@bst-lab.com](mailto:christina@bst-lab.com)

Christina Deng  
Manager  
Jan. 04, 2018