

**Brightkold**

Shininess the Future



**LED VEHICLE LIGHTING**

**LED Interior Light**

**Shanghai shininess Industrial Co., Ltd**

[www.brightkold.com](http://www.brightkold.com)

上海善宇实业有限公司  
Shanghai shininess Industrial Co., Ltd

Tel: +86-21-58545653



Fax: +86-21-58545652

E-mail: [info@brightkold.com](mailto:info@brightkold.com)

Website: [www.brightkold.com](http://www.brightkold.com)




## IP67 LED Bar Light




### Features:

1. Input Voltage: 12-28VDC.
2. LED type: 18 x 0.5W SMD.
3. IP rating: Waterproof IP67.
4. Material: ABS housing + PC lens.
5. Beam angle: 60°.
6. Available in difference led color: White, Green, Amber, Red, Blue.
7. Installation: Screw installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Housing Color	Dimension	Voltage	LED Type	QTY/CTN	G.W	CTN Size
KW-275W	White	480x18x30mm	12-28VDC	18pcs SMD	40pcs/ctn	7kg	51*26*20cm
KW-275B	Black	480x18x30mm	12-28VDC	18pcs SMD	40pcs/ctn	7kg	51*26*20cm

## IP67 LED Bar Light



### Features:

1. Input Voltage: 12-28VDC.
2. LED type: 9 x 0.5W SMD.
3. IP rating: Waterproof IP67.
4. Material: ABS housing + PC lens.
5. Beam angle: 60°.
6. Available in difference led color: White, Green, Amber, Red, Blue.
7. Installation: Screw installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Housing Color	Dimension	Voltage	LED Type	QTY/CTN	G.W	CTN Size
KW-285W	White	231x19x30mm	12-28VDC	9pcs SMD	100pcs/ctn	11kg	48*30*28cm
KW-285B	Black	231x19x30mm	12-28VDC	9pcs SMD	100pcs/ctn	11kg	48*30*28cm

## 12-28VDC LED Bar Light





### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Material: Aluminum housing + Acrylic lens.
4. Lifespan more than 25,000 hours.
5. Equipped with high quality SMD2835.
6. Available in difference length.
7. Easy installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Dimension	Lumens	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-261-165	165x28x13.5mm	160lm	9xSMD2835	White	100pcs/ctn	5.5kg	52*20*18cm
KW-261-266	266x28x13.5mm	340lm	18xSMD2835	White	100pcs/ctn	9.5kg	52*30*18cm
KW-261-367	367x28x13.5mm	480lm	27xSMD2835	White	100pcs/ctn	12.5kg	52*40*18cm
KW-261-468	468x28x13.5mm	650lm	36xSMD2835	White	50pcs/ctn	8.5kg	42*30*14cm
KW-261-570	570x28x13.5mm	760lm	45xSMD2835	White	50pcs/ctn	10.5kg	60*42*14cm
KW-261-670	670x28x13.5mm	960lm	54xSMD2835	White	50pcs/ctn	12.5kg	70*42*14cm
KW-261-770	770x28x13.5mm	1100lm	63xSMD2835	White	30pcs/ctn	8.5kg	80*25*14cm
KW-261-870	870x28x13.5mm	1200lm	72xSMD2835	White	30pcs/ctn	10.5kg	90*25*14cm
KW-261-970	970x28x13.5mm	1400lm	81xSMD2835	White	30pcs/ctn	11.5kg	100*25*14cm
KW-261-1070	1070x28x13.5mm	1600lm	90xSMD2835	White	30pcs/ctn	12.5kg	110*25*14cm

## 12-28VDC LED Bar Light



### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Material: Aluminum housing + Acrylic lens.
4. Lifespan more than 25,000 hours.
5. Equipped with high quality SMD2835.
6. Available in difference length.
7. Easy installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Dimension	Lumens	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-262-170	170x45x16.5mm	240lm	12xSMD2835	White	100pcs/ctn	8.5kg	57*20*25cm
KW-262-270	270x45x16.5mm	420lm	24xSMD2835	White	50pcs/ctn	8.5kg	57*30*14cm
KW-262-370	370x45x16.5mm	650lm	36xSMD2835	White	50pcs/ctn	11.5kg	57*24*27cm
KW-262-470	470x45x16.5mm	810lm	48xSMD2835	White	30pcs/ctn	8.5kg	50*35*14cm
KW-262-570	570x45x16.5mm	1000lm	60xSMD2835	White	30pcs/ctn	10.5kg	59*35*14cm
KW-262-670	670x45x16.5mm	1200lm	72xSMD2835	White	30pcs/ctn	12.5kg	69*35*14cm
KW-262-770	770x45x16.5mm	1400lm	84xSMD2835	White	20pcs/ctn	10.5kg	79*24*14cm
KW-262-870	870x45x16.5mm	1700lm	96xSMD2835	White	20pcs/ctn	11.5kg	89*24*14cm
KW-262-970	970x45x16.5mm	1900lm	108xSMD2835	White	20pcs/ctn	12.5kg	99*24*14cm
KW-262-1070	1070x45x16.5mm	2100lm	120xSMD2835	White	20pcs/ctn	13.5kg	109*24*14cm

## 12-28VDC LED Bar Light




### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Material: Aluminum housing + Acrylic lens.
4. Lifespan more than 25,000 hours.
5. Equipped with high quality SMD2835.
6. Available in difference length.
7. Easy installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Dimension	Lumens	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-263-170	170x65x16.5mm	340lm	18xSMD2835	White	100pcs/ctn	11.5kg	57*30*32cm
KW-263-270	270x65x16.5mm	650lm	36xSMD2835	White	50pcs/ctn	11.5kg	57*30*18cm
KW-263-370	370x65x16.5mm	960lm	54xSMD2835	White	30pcs/ctn	9.5kg	40*24*26cm
KW-263-470	470x65x16.5mm	1200lm	72xSMD2835	White	30pcs/ctn	12.5kg	50*20*26cm
KW-263-570	570x65x16.5mm	1600lm	90xSMD2835	White	20pcs/ctn	10.5kg	60*24*18cm
KW-263-670	670x65x16.5mm	1900lm	108xSMD2835	White	20pcs/ctn	12.5kg	70*24*18cm
KW-263-770	770x65x16.5mm	2000lm	126xSMD2835	White	20pcs/ctn	14.5kg	80*24*18cm
KW-263-870	870x65x16.5mm	2500lm	144xSMD2835	White	20pcs/ctn	15.5kg	90*24*18cm
KW-263-970	970x65x16.5mm	3000lm	168xSMD2835	White	10pcs/ctn	9.5kg	100*14*18cm
KW-263-1070	1070x65x16.5mm	3200lm	180xSMD2835	White	10pcs/ctn	10.5kg	110*14*18cm

## 12-28VDC LED Bar Light




### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Material: Aluminum housing + Acrylic lens.
4. Lifespan more than 25,000 hours.
5. Equipped with high quality SMD2835.
6. Available in difference length.
7. Easy installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Dimension	Lumens	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-264-160	160x100x28mm	420lm	24xSMD2835	White	40pcs/ctn	10.5kg	37*36*24cm
KW-264-260	260x100x28mm	810lm	48xSMD2835	White	20pcs/ctn	8.5kg	36*29*26cm
KW-264-360	360x100x28mm	1200lm	72xSMD2835	White	20pcs/ctn	11.5kg	36*38*26cm
KW-264-460	460x100x28mm	1700lm	96xSMD2835	White	20pcs/ctn	14.5kg	49*36*26cm
KW-264-560	560x100x28mm	2100lm	120xSMD2835	White	10pcs/ctn	9.5kg	59*19*26cm
KW-264-660	660x100x28mm	2500lm	144xSMD2835	White	10pcs/ctn	10.5kg	69*19*26cm
KW-264-760	760x100x28mm	3000lm	168xSMD2835	White	10pcs/ctn	12.5kg	79*19*26cm
KW-264-860	860x100x28mm	3400lm	192xSMD2835	White	10pcs/ctn	13.5kg	89*19*26cm
KW-264-960	960x100x28mm	3800lm	216xSMD2835	White	10pcs/ctn	14.5kg	99*19*26cm
KW-264-1060	1060x100x28mm	4200lm	240xSMD2835	White	10pcs/ctn	17.5kg	109*19*26cm

## 12-28VDC LED Bar Light



### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Material: Aluminum housing + Acrylic lens.
4. Available for turning of 180°.
5. Available in difference length.
6. Easy installation.
7. CE, RoHS approved.
8. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.





Model	Dimension	Voltage	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-120-01	327x46x51mm	12-28VDC	6pcs 1W	White	20pcs/ctn	9.5kg	37*30*26cm
KW-120-02	546x46x51mm	12-28VDC	12pcs 1W	White	20pcs/ctn	13.5kg	58*30*26cm
KW-120-03	762x46x51mm	12-28VDC	18pcs 1W	White	10pcs/ctn	9.5kg	80*30*15cm
KW-120-04	980x46x51mm	12-28VDC	24pcs 1W	White	10pcs/ctn	12.5kg	103*30*15cm
KW-120-05	1200x46x51mm	12-28VDC	30pcs 1W	White	10pcs/ctn	13.5kg	125*30*15cm

## 12-28VDC LED Bar Light




### Features:

1. Input Voltage: 12-28VDC.
2. With On/Off Switch.
3. Use 2835SMD.
4. Material: Aluminum housing + Acrylic lens.
5. Available for turning of 180°.
6. Available in difference length.
7. Easy installation.
8. CE, RoHS approved.
9. Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.




Model	Dimension	Voltage	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-104-01	225x33x35mm	12-28VDC	10pcs SMD	White	50pcs/ctn	8.5kg	43*25*23cm
KW-104-02	343x33x35mm	12-28VDC	20pcs SMD	White	25pcs/ctn	5.5kg	38*27*27cm
KW-104-03	470x33x35mm	12-28VDC	30pcs SMD	White	25pcs/ctn	7.5kg	51*27*27cm



- Input Voltage: 12-28VDC.
- With On/Door/Off Switch.
- Use 2835SMD.
- Material: ABS housing + Polycarbonate lens.
- Easy installation.
- CE, RoHS approved.

Model	A	B	C
KW-144	100mm(3.9")	102.5mm(4.0")	23.6mm(0.9")
KW-145	120mm(4.7")	122.5mm(4.8")	23.6mm(0.9")
KW-146	140mm(5.5")	142.5mm(5.6")	23.6mm(0.9")


Model	Dimension	Voltage	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-144	100x102.5x23.6mm	12-28VDC	18pcs SMD	White	40pcs/ctn	7kg	46*36*41cm
KW-145	120x122.5x23.6mm	12-28VDC	24pcs SMD	White	40pcs/ctn	8kg	46*36*41cm
KW-146	140x142.5x23.6mm	12-28VDC	36pcs SMD	White	40pcs/ctn	9kg	46*36*41cm



- Input Voltage: 12-28VDC.
- With On/Door/Off Switch.
- Use 2835SMD.
- Material: ABS housing + Polycarbonate lens.
- Easy installation.
- CE, RoHS approved.

Model	A	B	C
KW-268	72.5mm(2.9")	100mm(3.9")	22mm(0.9")
KW-269	82.5mm(3.2")	115mm(4.5")	22mm(0.9")
KW-270	92.5mm(3.6")	130mm(5.1")	22mm(0.9")

Model	Dimension	Voltage	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-268	72.5x100x22mm	12-28VDC	18pcs SMD	White	40pcs/ctn	7kg	47*36*30cm
KW-269	82.5x115x22mm	12-28VDC	24pcs SMD	White	40pcs/ctn	7kg	47*36*30cm
KW-270	92.5x130x22mm	12-28VDC	36pcs SMD	White	40pcs/ctn	8kg	47*36*30cm



- Input Voltage: 12-28VDC.
- With On/Door/Off Switch.
- Use 2835SMD.
- Material: ABS housing + Polycarbonate lens.
- Easy installation.
- CE, RoHS approved.

Model	A	B	C
KW-265	82.5mm(3.2")	116mm(4.6")	22mm(0.9")
KW-266	100.5mm(4.0")	140mm(5.6")	22mm(0.9")
KW-267	116.5mm(4.6")	164mm(6.6")	22mm(0.9")

Model	Dimension	Voltage	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-265	82.5x116x22mm	12-28VDC	18pcs SMD	White	40pcs/ctn	7kg	50*36*35cm
KW-266	100.5x140x22mm	12-28VDC	24pcs SMD	White	40pcs/ctn	8kg	50*36*35cm
KW-267	116.5x164x22mm	12-28VDC	36pcs SMD	White	40pcs/ctn	9kg	50*36*35cm






**KW-102W-01 (White Bezel)**

**KW-102C-01 (Chrome Bezel)**


- Voltage: 12&24VDC
- LED Type: 6pcs LEDs
- LED Color: White
- Polycarbonate Lens
- QTY/CTN: 100pcs
- G.W: 7kg
- Carton size: 45\*36\*18cm



**KW-122W (White Bezel)**

**KW-122C (Chrome Bezel)**


- Voltage: 12-28VDC
- LED Type: 3pcs 1W
- LED Color: White
- Polycarbonate Lens
- QTY/CTN: 50pcs
- G.W: 6kg
- Carton size: 54\*22\*23cm



**KW-102W-02 (White Bezel)**

**KW-102C-02 (Chrome Bezel)**


- Voltage: 12-28VDC
- LED Type: 12pcs 2835SMD
- LED Color: White
- Polycarbonate Lens
- QTY/CTN: 100pcs
- G.W: 7kg
- Carton size: 45\*36\*18cm



**KW-123W (White Bezel)**

**KW-123C (Chrome Bezel)**


- Voltage: 12-28VDC
- LED Type: 4pcs 1W
- LED Color: White
- Polycarbonate Lens
- QTY/CTN: 20pcs
- G.W: 5kg
- Carton size: 30\*27\*27cm



**KW-103W-01 (White Bezel)**

**KW-103C-01 (Chrome Bezel)**


- Voltage: 12-28VDC
- LED Type: 54pcs LEDs
- LED Color: White
- Polycarbonate Lens
- With On / Off / Door Switch
- QTY/CTN: 20pcs
- G.W: 6kg
- Carton size: 32\*28\*32cm



**KW-124W (White Bezel)**

**KW-124C (Chrome Bezel)**

- Voltage: 12-28VDC
- LED Type: 6pcs 1W
- LED Color: White
- Polycarbonate Lens
- With On / Door / Off Switch
- QTY/CTN: 20pcs
- G.W: 6kg
- Carton size: 31\*28\*32cm



**KW-103-02 (White Bezel)**

- Voltage: 12-28VDC
- LED Type: 24pcs 2835SMD
- LED Color: White
- Polycarbonate Lens
- With On / Off / Door Switch
- QTY/CTN: 20pcs
- G.W: 6kg
- Carton size: 32\*28\*32cm

